IN THE CLAIMS

Please amend the claims as follows:

- 1. (original) An electric apparatus comprising:
- sensor means (18) for detecting objects (34, 36) in the proximity of the apparatus (10), and
- a directional pointing unit (20) which can be directed onto objects (34, 36) in the proximity of the apparatus (10).
- 2. (original) An apparatus as claimed in claim 1, comprising:
- at least one memory (M) for storing the position (α, β) of objects (34, 36).
- 3. (currently amended) An apparatus as claimed in any one of the preceding claims laim 1, wherein
- the pointing unit comprises a mechanical pointing element which is mechanically movable in such a way that it can be directed onto objects in the proximity of the apparatus.
- 4. (currently amended) An apparatus as claimed in any one of the preceding claimsclaim 1, wherein
- the pointing unit (20) comprises a light source for generating a concentrated light beam (40), and

- means for directing the light beam (40) onto objects (34, 36) in the proximity of the apparatus (10).
- 5. (original) An apparatus as claimed in claim 4, whereinthe light source is mechanically movable.
- 6. (currently amended) An apparatus as claimed in claim 4 or 5, wherein
- means for directing the light beam (40) comprise one or more mechanically movable mirrors.
- 7. (currently amended) An apparatus as claimed in any one of the preceding claims laim 1, comprising
- a personification element (14) having a front side (16),
- motion means for mechanically moving the personification element (14),
- means for determining the position of a user, and
- control means which are constituted in such a way that they control the motion means in such a way that the front side (16) of the personification element (14) is directed towards the user's position.
- 8. (original) An apparatus as claimed in claim 7, wherein

- the pointing unit (20) is arranged on the personification element (14).
- 9. (currently amended) An apparatus as claimed in any one of the preceding claims claim 1, comprising
- means for speech recognition and speech output.
- 10. (original) A method of communication between an apparatus(10) and a user, wherein
- the apparatus (10) detects objects (34, 36) in its proximity by way of sensor means (18), and
- stores the position of objects (34, 36) in a memory (M), and aligns a directional pointing unit (10) with one of the objects (36).

** } .